

CHUBB®

Cyber Threat Intelligence Report

Edition 2



Stack up your cyber protection with Chubb.

As cyber threats evolve,
Chubb is committed to
keeping you well informed
and help keep our mutual
clients protected. Indicative
of this commitment, the
Chubb Threat Intelligence
Report delivers quarterly
insights on emergent cyber
threats and recommendations
to mitigate them.



Ivanti Exploit Chain


Two critical vulnerabilities in Ivanti software are currently being exploited through an exploit chain – a sequence of multiple exploits used to bypass a system's security measures that is commonly used by threat actors.

Exploit chains are a sequence of multiple exploits used to bypass a system's security measures.

CVE-2023-46805 (CVSS 8.2) allows attackers to bypass authentication in the web-based components of Ivanti Connect Secure and Policy Secure, versions 9.x and 22.x. Improper URL handling enables unauthorised access to restricted systems and sensitive administrative areas without valid credentials.

CVE-2024-21887 (CVSS 9.1) permits command injection in the same Ivanti versions. It results from unsafe handling of input in certain administrative web areas, which allows an attacker to send specially crafted requests that execute arbitrary commands as a system administrator.

Companies using Ivanti software should prioritise patching their systems. Additionally, policyholders should strengthen their VPN technologies by securing administrative and service accounts. If internet-accessible login pages are necessary for VPNs, monitor login attempts closely and set lockout limits to enhance security.





THREAT ALERT

Akira Ransomware Attacks – and How To Thwart Them


Akira has emerged as the most active cybercrime gang in 2025. A recent notable exploit compromised a victim's webcam and deployed ransomware via Server Message Block (SMB), a standard protocol for file sharing.¹

Typical Akira attacks, however, tend to be more straightforward. The usual targets are small to medium-sized businesses with annual revenues between \$10 million and \$50 million. The attackers often gain network access by brute-forcing the victim's VPN technology or using compromised credentials. Akira has also been known to exploit vulnerabilities such as [CVE-2023-48788](#), [CVE-2024-2176](#), or [CVE-2024-40766](#). Two of these vulnerabilities target management interfaces for popular VPNs. Once inside, they typically move laterally using Remote Desktop Protocol (RDP) and deploy ransomware within about six hours of initial network access.

It became apparent in many Akira-related claims that Multi-Factor Authentication (MFA) was not implemented for all VPN accounts, including default administrative and local accounts and weak service account security. In addition, most claims involved policyholders who expected to be protected by Microsoft Defender XDR.

In many Akira-related claims, MFA was not implemented for all VPN accounts, including default admin and local accounts.

A typical Akira attack can be thwarted at several stages. Implementing robust MFA and prioritizing patching and monitoring of VPN technologies can help prevent initial access. Strengthening Server Message Block (SMB) security and deploying a well-configured Endpoint Detection and Response (EDR) solution can stop lateral movement within the network.



Source: Surefire incident response data, Chubb analysis.

¹<https://www.bleepingcomputer.com/news/security/ransomware-gang-encrypted-network-from-a-webcam-to-bypass-edr/>



THREAT ALERT

The Weak Link in Cybersecurity: Humans

In May 2025, a series of attacks targeted major US and UK retail giants.² While direct evidence is scarce, all indications point to a campaign orchestrated by the group known as “Scattered Spider.” This group was initially known for SIM-swapping attacks where unauthorised SIM changes bypassed phone authentication. It has now evolved into a global threat by leveraging social engineering techniques primarily targeting IT help desks.

Scattered Spider gains access through well-crafted phone calls to technical support employees or urgent requests seemingly from C-suite executives. AI voice-generation technologies are sometimes used to mimic the voice and cadence of an employee's speech. Phishing frameworks and typo-squatting are also used to capture credentials and session tokens and effectively to bypass MFA.

Social engineering and phishing – attacks that exploit human vulnerabilities – account for 37% of attacks in claims and incident response data. According to IBM, 79% of credential thefts arise from social engineering attacks.

The Best Defense

The following controls can help organisations shore up their defense against social engineering attacks targeting help desk staff:


- Train all employees, including help desk staff, to recognise attacks.
- Enforce strict identity controls for password resets and MFA registration. For instance, restrict help desks from registering new devices for MFA. When resetting passwords, split new passwords between managers and the requesting employees.
- Require that new devices be connected to the internal network when registering.
- Strengthen authentication criteria by removing SMS, phone calls, and email authentication methods.
- Limit the hours during which the help desk performs password resets; consider restricting this to business hours.
- Implement additional security controls to prevent threat actors from fraudulently obtaining employment verification through human resources.

Social engineering and phishing - attacks that exploit human vulnerabilities - account for 37% of attacks in claims and incident response data.




Claims Data and Statistics

Akira and Qilin have dominated the ransomware landscape since 2024. Both groups typically target VPNs using brute force, credential stuffing, and exploiting vulnerabilities. Qilin often relies on data obtained from info stealers. Ransomhub, which had been the leading threat actor, vanished after being hacked by the DragonForce ransomware gang in April 2025.³



The primary methods of compromise have remained consistent since Q4 2024: External remote services, phishing, and social engineering are the main attack vectors – each accounting for nearly 40% of incidents. Use of valid accounts has increased, likely due to the rise in info stealers and abuse of trusted relationships, possibly linked to the trend in supply chain attacks.



Be aware that access to an external remote service can be gained through phishing, using a valid account, or even by an insider. While VPN attacks are typically considered “external remote services,” they could also be reclassified under “valid accounts” when involving brute-forcing or credential stuffing or “exploiting public-facing applications” when vulnerabilities in VPN technologies are targeted. Hardening VPN technologies has become increasingly important as the number of incidents targeting VPN continue to rise. Policyholders should enforce MFA, secure or remove local accounts, limit the public IP space with access to VPN, lock accounts after repeated failed authentication attempts, and prioritise patching of VPN technologies.

Source: Surefire, Chubb incident response data

³<https://research.checkpoint.com/2025/the-state-of-ransomware-q2-2025/>

Harden VPN by enforcing MFA, securing or removing local accounts, limiting the public IP space with access to VPN, locking accounts after repeated failed login attempts, and prioritising patching.



Chubb offers an array of cyber services, including incident response, vulnerability management, user security awareness training, and endpoint security protection, all aimed at helping organisations mitigate exposure and reduce cyber risk. [Learn more.](#)

chubb.com

All Cyber services are subject to change. Any changes to the service offering will be reflected on the local Cyber services webform. Policyholders are responsible for reviewing specific terms and conditions of each cyber service provider to ensure eligibility and to stay updated on any changes that may occur.

DISCOUNTED CYBER SERVICES OFFERED BY THIRD PARTY VENDORS:

External Vulnerability Monitoring, Secure Password Manager

The cyber services set forth above are offered by third party vendors at no additional cost to Chubb policyholders for the stated initial period, provided the policyholder is a new subscriber/customer to the cyber services on offer by the chosen third-party vendor and the policyholder otherwise meets the stated eligibility requirements. After expiration of the stated initial period, policyholders may have the option to continue their cyber services at a discounted rate upon renewal. Please note that the specific discount may vary between products and services. Discounts on products and services offered by cyber services vendors are available only to Chubb policyholders with current in-force policies and are subject to applicable insurance laws. The products and services provided by third party vendors will be governed by contract terms the policyholder enters into with the third-party vendor. Chubb will not be involved in the policyholder's decision to purchase services and has no responsibility for products or services that are provided by any third-party vendor.

This document is intended for information purposes only and does not constitute any kind of advice or recommendation for individuals or companies on any product or service. For more details on the terms and conditions of the product, please refer to the general terms of insurance.

Chubb European Group SE, Registered Office: La Tour Carpe Diem, 31 Place des Corolles, Esplanade Nord, 92400 Courbevoie, France - Share capital €896.176.662 fully paid - General representation in Italy: Via Fabio Filzi n. 29 - 20124 Milan - Tel. 02 27095.1 - Fax 02 27095.333 - VAT identification number and Tax Code 04124720964 - Economic and Administrative Index No. 1728396 - Authorized to operate in Italy as an establishment registered with the IVASS (Italian insurance supervisory authority) under number I.00156. The activity in Italy is regulated by the IVASS, with regulatory regimes that could diverge from the French ones. Registered in the companies registry of Nanterre under number 450 327 374 by the Autorité de contrôle prudentiel et de résolution (ACPR) 4, Place de Budapest, CS 92459, 75436 PARIS CEDEX 09 RCS and subject to the rules of the French Insurance Code. info.italy@chubb.com - italy@pec.chubb.com - www.chubb.com/it.

IT8976-MD 08/25